The Effect of Systematic Approach to Tracheostomy Care in Patients Transferred from the Surgical Intensive Care Unit to General Ward

Youn-jong Jung¹, Younghwan Kim², Kyuhyouck Kyoung³, Minae Keum³, Taehyun Kim^{2,*}, Dae seong Ma⁴, Suk-Kyung Hong⁵

¹Department of Nursing, Asan Medical Center, Seoul; ²Department of Surgery, National Medical Center, Seoul; ³Department of Surgery, Ulsan University Hospital, Ulsan; ⁴Department of Trauma Surgery, Gil Medical Center, Gachon University College of Medicine, Incheon; ⁵Division of Acute Care Surgery, Department of Surgery, Asan Medical Center, University of Ulsan College of Medicine, Seoul, Korea

2018 November 33(4):252-259 / <https://doi.org/10.4266/acc.2018.00248>

We found an error in this article. The author's ORCID should be corrected as following:

From Younghwan Kim <https://orcid.org/0000-0001-7895-0362>
to Younghwan Kim <https://orcid.org/0000-0003-3836-8743>

We apologize for any inconvenience that may have caused.

Corrigendum

*Current affiliation: Division of Acute Care Surgery, Department of Surgery, Asan Medical Center, University of Ulsan College of Medicine, Seoul, Korea

Copyright © 2019 The Korean Society of Critical Care Medicine

This is an Open Access article distributed under the terms of Creative Attributions Non-Commercial License (<http://creativecommons.org/licenses/by-nc/4.0/>) which permits unrestricted noncommercial use, distribution, and reproduction in any medium, provided the original work is properly cited.